

STAIR PARTS



EVERMARK

EVERMARK-LNL.COM



Table of Contents

Steps to the Perfect Staircase	5
Handrails & Fittings	6-9
Traditional Series/Tiffany	
· Newel Posts	10-12
· Balusters	13-14
· Tiffany Balusters	14
Hampton Series	
· Newel Posts	15
· Balusters	16-17
Classic Series	
· Newel Posts	18
· Balusters	19
Regency Series	
· Newel Posts, Balusters	20
Savannah Reeded Series	
· Newel Posts, Balusters	21
Carolinian Series	
· Balusters	22-23
Craftsman Series	
· Newel Posts	24
· Balusters	25
Belle Meade Turned Newels	26
Box Newels	
· Newel Posts	27-29
· Caps	30
Metal Balusters & Accessories	31-34
Treads & Risers	
· Red Oak Engineered Treads	35
· Red Oak Reversible Engineered Return Treads	35
· Reversible Hybrid/Treads	35
· Solid Edge-Glued Treads	36
· Full Square Solid Plain Craftsman Treads with Square Bullnose	36
· Solid Reversible Miter Return Treads	37
· Reversible Starting Step Kits/Risers	38
· Landing Tread	38
· Loose Tread Returns	39
· Tread and Riser End Caps	39
· Edge-Glued Risers, Primed GBR & Primed LVL Stringers	40
Accessories	
· Hand Rail Brackets, Rosettes, Fillet	41
· Shoe Rails w/Fillet, Mouldings, Spring Bolt™	42
· Installation Tools & Accessories	43

Make a statement!

Create a stunning design for your stairway with the confidence you are selecting quality parts that reflect premium engineering, delivered with the highest level of service.

Since 1993, Evermark has been an industry leader in the innovation, design, and manufacture of quality stair parts that maintain their beauty and integrity over time.

From owning our own factories—allowing us to stay on the leading edge of technology, while ensuring we maintain highest standards of quality and a healthy inventory. Evermark is committed to the highest level of dedication and attention in everything we do.


With Evermark you can rest assured... no matter which of our stair parts you choose, you'll be making a smart investment that will fit your needs, your home and your family for a lifetime.

EVERMARK




Stair Parts Selection Guide

STEP 1: Choose Newel Post Style



Over the Post
Pin top newels require handrail fittings that slide down on top of pins, creating a continuous rail system that is elegant to the touch.




Post to Post
Block top and Box Newels allow rails to run between them, creating an added touch of detail to your staircase system. Handrail fittings may not be required.

STEP 2: Choose Style of Balustrade



Pin Top Balusters



Square Top Balusters



Metal Balusters

STEP 3: Choose Handrail Style

Handrail styles are matched to each Series based on architectural scale. Refer to individual Series pages to find the best handrail to match with your choice of baluster.



6000



6010



6210



6084



6510



6710



6800

STEP 4: Choose Species

(Not all species available for all products)



Primed



Poplar



Red Oak



White Oak




Hard Maple




Mahogany

Handrail Profiles

6000 *Primed • Poplar • Red Oak*



6084 *Primed • Red Oak*




6010


- *Primed*
- *Poplar*
- *Red Oak*
- *White Oak*
- *Hard Maple*



(6010 Shown)



6010



6010P

Plow Widths:
1 1/4"
Fillet Included


6010 Rail is available in Finger Joint, Plowed Finger Joint, Nu-Rail, Solid Top, Solid Top w/Plow & Plowed with Nu-Rail. Lengths available may vary by species.

6210


- *Poplar*
- *Red Oak*
- *White Oak*
- *Hard Maple*



(6210 Shown)



6210



6210P

Plow Widths:
1 1/4", 1 1/2", 1 3/4"
Fillet Included


6210 Rail is available in Nu-Rail, Plowed Nu-Rail with Fillet & Solid Top. Lengths available may vary by species.

6510


- *Red Oak*
- *White Oak*
- *Hard Maple*
- *Mahogany*



(6510 Shown)



6510



6510P

Plow Widths:
1 1/4", 1 1/2", 1 3/4"
Fillet Included


6510 Rail is available in Nu-Rail, and Plowed Nu-Rail with Fillet. Lengths available may vary by species.

6710


- *Red Oak*
- *White Oak*
- *Mahogany*



(6710 Shown)



6710



6710P


Plow Widths:
1 1/4", 1 1/2", 1 3/4"
Fillet Included

6710 Rail is available in Nu-Rail and Plowed Nu-Rail with Fillet. Lengths available may vary by species.


Handrail Profiles

6800

- *Red Oak*



6800




6800P




6010 • **Bending Rail**

- *Poplar*
- *Red Oak*
- *White Oak*
- *Hard Maple*




6010 (7 Plys)



6210 • **Bending Rail**

- *Poplar*
- *Red Oak*
- *White Oak*
- *Hard Maple*




6210 (9 Plys)



6510 • **Bending Rail**

- *Red Oak*
- *White Oak*
- *Hard Maple*
- *Mahogany*




6510 (8 Plys)



6710 • **Bending Rail**

- *Red Oak*
- *White Oak*
- *Mahogany*




6710 (7 Plys)



6800 • **Bending Rail**

- *Red Oak*




6800 (8 Plys)



Wall Rails

6040

- Poplar
- Red Oak




1 3/4

1 9/16

6042

- Poplar
- Red Oak




2 1/4

1 1/16

*ADA code compliant


Handrail Fittings



2 1/4

2 3/8


6010
(70_ _ series fittings)



2 5/8

2 3/8


6210
(72_ _ series fittings)



2 5/8

2 3/8


6510
(75_ _ series fittings)



2 5/8

2 3/4

6710
(77_ _ series fittings)



2 5/8

2 1/4

6800
(78_ _ series fittings)



4 7/8 CL

Left Hand Volute
7030
7230
7530
7730



4 7/8 CL

Right Hand Volute
7035
7235
7535
7735



Left Hand Large Turnout
7040
7240
7540
7740



Right Hand Large Turnout
7045
7245
7545
7745



Coped End
7008
7208



Returned End
7009
7209
7509



Starting Easing w/Cap
7010
7210
7510
7710



Quarterturn No Cap
7011
7011-E6
7211
7511
7711
7811



135° Turn No Cap
7011-135
7211-135
7511-135
7711-135



60° Up Easing
7012
7012-E6
7212
7512
7712
7812

Handrail Fittings



60° Over Easing
7013
7213
7513
7713



90° Up Easing
7014
7214
7514
7714



Opening Cap
7019
7219
7519
7719



Tandem Cap
7020
7220
7520
7720
7820



Quarterturn No Cap
7021
7221
7521
7721
7821



135° w/Cap
7021-135
7221-135
7521-135
7721-135



"S" Fitting No Cap
7047 LH/RH - 5"
7247 LH/RH - 5 1/8 CL"
7547 LH/RH - 5 1/8 CL"
7747 LH/RH - 5 1/8 CL"



Left Hand 90° 2 Rise No Cap
7050
7250




Right Hand 90° 2 Rise No Cap
7055
7255



Left Hand 90° 2 Rise w/Cap
7060
7260
7560
7760




Right Hand 90° 2 Rise w/Cap
7065
7265
7565
7765



Left Hand Level Qtr Turn No Cap 2-Rise
7071
7271
7571
7771




Right Hand Level Qtr Turn No Cap 2-Rise
7076
7276
7576
7776




Left Hand Level Qtr Turn w/Cap 2-Rise
7081
7281
7581
7781




Right Hand Level Qtr Turn w/Cap 2-Rise
7086
7286
7586
7786




Straight w/ Tandem Cap 1-Rise
7088
7289
7589
7789
7889



Straight w/ Tandem Cap 2-Rise
7089
7299
7599
7799
7899




Straight No Cap 1-Rise
7098
7299
7599
7799
7899



Straight No Cap 2-Rise
7099
7299
7599
7799
7899

Traditional Series

4040 • **Block Top Newels** • 3" Square Bottoms



When Ordering: Specify Either
Mushroom Top (MT) or Ball Top (BT)

MODEL #	4040-48	4040-54	4040-60	4045-60	4046-60	4046-72
Usage	S / B	S / B	I	I	I	I
Length	48"	54"	60"	60"	60"	72"
Top	MT / BT	MT / BT	MT / BT	MT / BT	MT / BT	MT / BT
Bottom	3"	3"	3"	3"	3"	3"
Species	PP / RO / HM	PP / RO / HM	PP / RO / HM	PP / RO / HM	PP / RO / HM	PP / RO / HM

Usage Key
S - Starting Newel
B - Balcony Newel
I - Intermediate/Landing

Top Key
BT - Ball Top
MT - Mushroom Top

Species Key
PP - Poplar
RO - Red Oak
HM - Hard Maple

Traditional Series

4015 • **Pin Top Newels** • 3" Square Bottoms

MODEL #	4015-48	4015-56	4015-64	4019-56	4063-43SBLP	4063-43RBLP
Usage	S / B	S / B	I	I	V	V
Length	48"	56"	64"	56"	43"	43"
Top	PT	PT	PT	PT	PT	PT
Bottom	3"	3"	3"	3"	3"	3"
Species	PP / RO / HM	PP / RO / HM	RO / HM	RO / HM	PP / RO / HM	PP / RO / HM

Usage Key
S - Starting Newel
B - Balcony Newel
I - Intermediate/Landing
V - Volute

Top Key
PT - Pin Top


Species Key
PP - Poplar
RO - Red Oak
HM - Hard Maple



Traditional Series

4140 • **Oversized Newels** • 3 1/4" Square Bottoms

When Ordering:
Specify Either
Mushroom Top (MT)
or Pin Top (PT)



MODEL #	4163-43	4115-48	4115-56	4115-64	4140-48	4140-54	4140-60	4145-60	4146-60
Usage	V	S / B	S / B	I	S / B	I	S / I	S / I	I
Length	43"	48"	56"	64"	48"	54"	60"	60"	60"
Top	PT	PT	PT	PT	BT / MT	BT / MT	BT / MT	BT / MT	BT / MT
Bottom	3 1/4"	3 1/4"	3 1/4"	3 1/4"	3 1/4"	3 1/4"	3 1/4"	3 1/4"	3 1/4"
Species	RO	RO	RO	RO	RO	RO	RO	RO	RO

Usage Key
S - Starting Newel
B - Balcony Newel
I - Intermediate/Landing
V - Volute


Top Key
PT - Pin Top
MT - Mushroom Top

Species Key
RO - Red Oak



Traditional Series

4900 • Square Block Top Newels • 3" Square Bottoms




Traditional Series


5015 • "Smart Stick" Pin Top Balusters • 1 1/4" Square Bottoms

The SS-5015 "Smart Stick", an Evermark exclusive!

What's smart about the SS-5015 "Smart Stick"? The top and bottom pins are the same size, requiring the same size drill bit...meaning it's easier and quicker to install. That's good news for installers. The bottom pin is shorter and needs no trimming. The 3/4" pin top increases possible spacing of balusters by 1/4" while complying with the 4" maximum spacing in many building codes.





5015 • Pin Top Balusters • 1 1/4" Square Bottoms




Traditional Series

5141 • Square Top Balusters • 1 1/4" Square Bottoms





Hampton Series


4500 • Hampton Ball Top Newels • 3 1/2" Square Bottoms



5215 • Tiffany Pin Top Balusters • 1 1/4" Square Bottoms




4500 • Hampton Pin Top Newels • 3 1/2" Square or Round Bottoms




Hampton Series

5300 • Hampton Pin Top Balusters • 1 3/4" Square Bottoms




Hampton Series

5105 • Hampton Square Top Balusters • 1 3/4" Square Bottoms



Square Top Balusters:
Plowed Rail is the best choice when using square top balusters. This rail comes with fillet, which is cut to fit between the square tops of balusters.



Established in 1993

Why Evermark?

Every Evermark product begins with a great idea for solving an existing homeowner, builder, or contractor problem.

Sometimes this means innovating an answer from scratch. Other times... it's finding novel, more durable, more effective, or more cost-efficient ways of making existing products better. It's this ability to see "gaps" and respond to them in a timely manner with top-quality offerings delivered with world-class service, that has made Evermark a **premier manufacturer of stair parts, doors, railing and moulding, hinges and hardware—along with other solution-centric products—for almost three decades.**


+4500
Evermark Products

+750
Team Members

+6
Evermark Factories


Classic Series

3015 • Classic Pin Top Newels • 3 1/2" Square Bottoms




Classic Series


2015 • Classic Pin Top Balusters • 1 3/4" Square Bottoms




3030 • Classic Pin Top Newels • 3 1/2" Square Bottoms




2005 • Classic Square Top Balusters • 1 3/4" Square Bottoms




Regency Series
4800 • **Regency Newels** • 3 1/2" Square Bottoms




Savannah Series
3300 • **Reeded Newels** • 3 1/2" Square Bottoms



2715 • **Series Pin Top Balusters** • 1 3/4" Square Bottoms




2315 • **Reeded Pin Top Balusters** • 1 3/4" Square Bottoms



Carolinian Series

2815 • **Carolinian Pin Top Balusters** • 1 3/4" Square Bottoms






MODEL #	2815-37	2815-41	2815-43
Length	37"	41"	43"
Bottom	1 3/4"	1 3/4"	1 3/4"
Species	PR	PR	PR

Species Key
PR - Primed

Carolinian Series

5040 • **Full Taper Pin Top Balusters** • 1 1/8" Round Bottoms





MODEL #	5040-36	5040-42
Length	36"	42"
Bottom	1 1/8"	1 1/8"
Species	PR / RO	PR / RO

Species Key
PR - Primed
RO - Red Oak



Craftsman Series

4000 • 4001 • **Craftsman Newels** • 3" & 3 1/2" Square Bottoms



MODEL #	4000-48-CT	4000-66-CT	4000-48	4000-66	4001-48	4001-66	4001-48-CT	4001-66-CT
Usage	S / B	S / B / I	S / B	S / B / I	S / B	S / B / I	S / B	S / B / I
Length	48"	66"	48"	66"	48"	66"	48"	66"
Bottom	3"	3"	3"	3"	3 1/2"	3 1/2"	3 1/2"	3 1/2"
Top	CH	CH	FS	FS	FS	FS	CH	CH
Species	PP/RO/WO	PP/RO/WO	PP/RO/WO	PP/PR/RO/WO	PP/PR/RO/WO	PP/PR/RO/WO	RO/WO	RO/WO
Species Key PP - Poplar PR - Primed RO - Red Oak WO - White Oak		Usage Key S - Starting Newel B - Balcony Newel I - Intermediate/Landing		Top Key CH - Chamfered FS - Full Square				

Craftsman Series

5060 • 5160 • 5360 • **Craftsman Balusters**
1 1/4", 1 1/2", & 1 3/4" Square Bottoms

MODEL #	5060-36	5060-41	5060-43	5160-36	5160-43	5360-36	5360-41	5360-42	5360-43
Length	36"	41"	43"	36"	43"	36"	41"	42"	43"
Bottom	1 1/4"	1 1/4"	1 1/4"	1 1/2"	1 1/2"	1 3/4"	1 3/4"	1 3/4"	1 3/4"
Species	PR/RO/HM	PR/RO	PR/RO	PR	PR	PR/RO/HM	PR	HM	PR/RO
Species Key PR - Primed RO - Red Oak HM - Hard Maple									


To maintain architectural scale, choose 6010 rail for 1 1/4" square balusters only. All other rails can accept 1 1/4", 1 1/2", or 1 3/4" balusters.



Belle Meade Series

Belle Meade Pin & Ball Top Newels • 5" Square Bottoms


Our Belle Meade Turned Newels will add a new dimension to any staircase design. These turned newels have a flair all their own and will turn any staircase into a beautiful focal point.




MODEL #	3510	3515	3520	3525	Species Key
Length	48"	56"	48"	56"	
Bottom	5"	5"	5"	5"	PP - Poplar RO - Red Oak
Top	PT	PT	5" BT	5" BT	Top Key PT - Pin Top BT - Ball Top
Species	RO	PP	RO	PP	




Large Cap fittings are 3 1/2" across the bottom of the cap. For pricing see Pg. 9 in Evermark Pricing Guide.



Box Newels




* Newels include mounting blocks




PROFILE #	PL4075-56	PL4075-66	RC4075-66	PL4375*	RC4375*	RP4375*
Description	Plain	Plain	Adjustable	Plain	Recessed Panel	Raised Panel
Length	56"	66"	66"	66"	66"	66"
Square	3 1/2"	3 1/2"	4 3/4"	4 3/4"	4 3/4"	4 3/4"
Species	PR/PP/RO WO/HM/MH	PP/RO	PP/RO / WO	PR/PP/RO	PR/PP/RO WO/HM	PR/PP/RO WO/HM


Species Key
PR - Primed
PP - Poplar
RO - Red Oak
WO - White Oak
HM - Hard Maple
MH - Mahogany



Box Newels




* Newels include mounting blocks



PROFILE #	PL4090*	PL4091*	RC4093*	RP4094*	PL4091-72*	RC4093-72*
Description	Adjustable	Plain	Recessed Panel	Raised Panel	Plain	Recessed Panel
Length	55"	55"	55"	55"	72"	72"
Square	5"	6 1/4"	6 1/4"	6 1/4"	6 1/4"	6 1/4"
Species	PR/PP/RO WO/HM	PR/PP/RO WO/HM	PR/PP/RO WO/HM / MH	PR/PP/RO WO/HM	PP/RO WO/HM	PP/RO WO/HM

Species Key
PR - Primed
PP - Poplar
RO - Red Oak
WO - White Oak
HM - Hard Maple
MH - Mahogany




Box Newels




Cap & Trim Detail on 4095 & 4098 Box Newels

PROFILE #	BS-4077-24	PL4077-64	PL4095-56*	FP4098-56*	4S45*	4S65*	4S75*
Description	Base/Sleeve	Plain	Plain	Recessed Panel	Recessed Panel	Recessed Panel	Recessed Panel
Length	24"	64"	56"	56"	56"	55"	56"
Square	5"	3 1/2"	7 1/2"	7 1/2"	4 3/4"	6 1/4"	7 1/2"
Species	PR / PP / RO	PR / PP / RO	PR / PP / RO	PR / PP / RO	PP / RO / WO	PP / RO / WO	PP / RO / WO

Species Key
PR - Primed
PP - Poplar
RO - Red Oak
WO - White Oak
HM - Hard Maple
MH - Mahogany




Box Newel Radius Caps



ITEM #	9804	9805-675	9805	9802	9801
PROFILE	NC-77	NC-91R	NC-95	NC-75	NC-91
Description	Radius Newel Cap Kit	Radius Newel Cap Kit	Radius Newel Trim Kit	Cap & Trim Kit	Cap & Trim Kit
Size	3 1/2"	6 1/4"	7 1/2"	3 1/2"	6 1/4"
Species	PR/PP/RO WO/HM/MH	RO/WO/ HM/MH	RO/WO/ HM/MH	RO/WO/ HM/MH	RO/WO/ HM/MH

Species Key
PR - Primed
PP - Poplar
RO - Red Oak
WO - White Oak
HM - Hard Maple
MH - Mahogany

Metal Balusters
Hollow 1/2" Balusters



PROFILE #	HM-PL44	HM-PLAK01	HM-PLAK02	HM-TW1	HM-TW2	HM-BAS1	HM-BAS2	HM-F44A	HM-FRS44
Part #	I555	I354-01	I354-02	I550	I551	I552	I553	I580	I581
Description	Plain Bar	Single Fixed Knuckle	Double Fixed Knuckle	Single Twist	Double Twist	Single Basket	Double Basket	Double Scroll	Double Scroll
Size	1/2" x 44"	1/2" x 44"	1/2" x 44"	1/2" x 44"	1/2" x 44"	1/2" x 44"	1/2" x 44"	1/2" x 44"	1/2" x 44"
Color	SB / ORB	SB / ORB	SB / ORB	SB / ORB	SB / ORB	SB / ORB	SB / ORB	SB / ORB	SB / ORB


Actual colors may vary from print and web views

Color Key
SB - Satin Black
ORB - Oil Rubbed Bronze




Metal Balusters

Hollow 5/8" Balusters




Knuckles, Flat Shoes, Angled Shoes

1/2" • 5/8" • 9/16"




Metal Balusters

Hollow Metal Knee Wall 1/2" Balusters



Modern Series Metal Balusters

1/2" Hollow Square, & 9/16" Round



Treads


Red Oak Engineered Treads-Plain

10 1/2" & 11 1/2" Depths

Item # Actual Net Size

8510	1 x 10 1/2 x 36
8510	1 x 10 1/2 x 42
8510	1 x 10 1/2 x 48
8510	1 x 10 1/2 x 54

8530	1 x 11 1/2 x 36
8530	1 x 11 1/2 x 42
8530	1 x 11 1/2 x 48
8530	1 x 11 1/2 x 54
8530	1 x 11 1/2 x 72




Red Oak Reversible Engineered Return Treads

10 1/4" & 11 1/4" Depths

Item # Actual Net Size Miter Style

8510	1 x 10 1/4 x 36	Straight Line
8510	1 x 10 1/4 x 42	Straight Line
8510	1 x 10 1/4 x 48	Straight Line

8530	1 x 11 1/4 x 36	Straight Line
8530	1 x 11 1/4 x 42	Straight Line
8530	1 x 11 1/4 x 48	Straight Line





Reversible Hybrid Treads

11 1/2" Depths

For stairs with carpeted runners where an oak reveal is desired.

Item # Actual Net Size Miter Style

8631H	1 x 11 1/2 x 42	Sweep
8631H	1 x 11 1/2 x 48	Sweep
8631H	1 x 11 1/2 x 54	Sweep
8631H	1 x 11 1/2 x 60	Sweep



Treads

Solid edge-Glued Plain Treads

10 1/2" & 11 1/2" Depths

Item #	Actual Net Size	Tread Run	Species
8410	3/4 x 36	10 1/2	RO/WO
8410	3/4 x 42	10 1/2	RO/WO/HM
8410	3/4 x 48	10 1/2	RO/WO/HM
8410	3/4 x 54	10 1/2	RO/WO
8410	3/4 x 60	10 1/2	RO/WO/HM
8410	3/4 x 72	10 1/2	RO/WO
8430	3/4 x 36	11 1/2	RO/WO
8430	3/4 x 42	11 1/2	RO/WO/HM
8430	3/4 x 48	11 1/2	RO/WO/HM
8430	3/4 x 54	11 1/2	RO/HM
8430	3/4 x 60	11 1/2	RO/WO/HM
8430	3/4 x 72	11 1/2	RO
8410	1 x 36	10 1/2	RO/WO
8410	1 x 42	10 1/2	RO/WO/HM
8410	1 x 48	10 1/2	RO/WO/HM
8410	1 x 54	10 1/2	RO/WO
8410	1 x 60	10 1/2	RO/WO/HM
8410	1 x 72	10 1/2	WO
8430	1 x 36	11 1/2	RO/WO
8430	1 x 42	11 1/2	RO/WO/HM
8430	1 x 48	11 1/2	RO/WO/HM
8430	1 x 54	11 1/2	RO/WO/HM
8430	1 x 60	11 1/2	RO/WO/HM
8430	1 x 72	11 1/2	RO/WO




Species Key
 RO - Red Oak
 WO - White Oak
 HM - Hard Maple

Full Square Solid Plain Craftsman Treads with Square Bullnose

11 1/2" Depths

Item #	Actual Net Size	Species
8430-C48	3/4 x 11 1/2 x 48	RO/WO/HM
8430-C60	3/4 x 11 1/2 x 60	RO/WO/HM



Treads

Solid Reversible Miter Return Treads

10 1/2" & 11 1/2" Depths

Item #	Actual Net Size	Tread Run	Species
8413	3/4 x 42	10 1/2	RO/WO
8413	3/4 x 48	10 1/2	RO/WO
8413	3/4 x 54	10 1/2	RO/WO
8413	3/4 x 60	10 1/2	RO/WO
8413	1 x 42	10 1/2	RO/WO
8413	1 x 48	10 1/2	RO/WO
8413	1 x 54	10 1/2	RO/WO
8413	1 x 60	10 1/2	RO/WO
8433	3/4 x 42	11 1/2	RO/WO
8433	3/4 x 48	11 1/2	RO/WO
8433	3/4 x 54	11 1/2	RO/WO
8433	3/4 x 60	11 1/2	RO/WO
8433	1 x 42	11 1/2	RO/WO
8433	1 x 48	11 1/2	RO/WO
8433	1 x 54	11 1/2	RO/WO
8433	1 x 60	11 1/2	RO/WO



Reversible, good both sides.
 Use as LH or RH Return Tread




Starting Steps

Single and Double Open

Item #	Description	Species
8010-48	Single Open Starting Tread*	RO / WO / HM
8010-54	Single Open Starting Tread*	RO / WO / HM
8010-60	Single Open Starting Tread*	RO / WO / HM
8015-48	Double Starting Tread*	RO / WO / HM
8015-54	Double Starting Tread*	RO / WO / HM
8015-60	Double Starting Tread*	RO / WO / HM

Species Key
RO - Red Oak
WO - White Oak
HM - Hard Maple


**Kit includes Tread, Pre-curved Riser, Cove, and Shoe Mold*



Reversible (Starting Step) Risers • Single & Double Open

Item #	Description	Species
8011-48	Bullnose Riser Only	PR / RO / WO / HM
8011-54	Bullnose Riser Only	PR / RO / WO / HM
8011-60	Bullnose Riser Only	PR / RO / WO / HM
8015-48	Double Bullnose Riser Only	PR / RO / WO / HM
8015-54	Double Bullnose Riser Only	PR / RO / WO / HM
8015-60	Double Bullnose Riser Only	PR / RO / WO / HM


Species Key
PR - Primed
RO - Red Oak
WO - White Oak
HM - Hard Maple



Landing Tread • 3 1/2" & 5 1/4" widths

Profile	Item #	Dimensions	Species
8090	6LTOR-312	1 1/32 x 3 1/2 x 8ft	RO / WO / HM
8090	6LTOW-312	1 1/32 x 3 1/2 x 16ft	RO / WO / HM
8590	6LTOR-514	1 1/32 x 5 1/4 x 8ft	RO / WO / HM
8590	6LTOW-514	1 1/32 x 5 1/4 x 16ft	RO / WO / HM

Species Key
RO - Red Oak
WO - White Oak
HM - Hard Maple




Loose Tread Returns & Tread Caps

Loose Tread Returns

Item #	Description	Dimensions	Species
9300-01	Square Cut Return	1 1/16 x 1 1/4 x 13	RO / WO / HM
9300-02	Coped Tread Return	1 1/16 x 1 1/4 x 13	RO / WO / HM
9300-03	*Full Square Tread Return	2 x 1 1/2 x 13	RO / WO / HM

**Designed for use on Full Square Edge-Glued Tread.*

Species Key
RO - Red Oak
WO - White Oak
HM - Hard Maple



Tread & Riser End Caps

Item #	Description	Dimensions	Species
8071-LH	False Return Tread w/Riser - Left Hand	16" x 6" x 2"	PP / RO / WO / HM
8071-RH	False Return Tread w/Riser - Right Hand	16" x 6" x 2"	PP / RO / WO / HM
8072	False Tread Kit	4 7/8" x 12 3/4" x 2"	PP / RO / WO / HM
8076	False Riser	8" x 6 1/2" x 1/2"	PP / RO / WO / HM
8079	Reversible Return Tread Kit w/Nosing	13 1/2" x 9 1/2" x 1 7/8"	PP / RO / WO / HM


Species Key
PP - Poplar
RO - Red Oak
WO - White Oak
HM - Hard Maple



Risers and Stringers

Edge-Glued Risers • 36" • 48" • 60" Lengths


Item #	Description	Dimensions	Species
8075	Edge-Glued Riser	3/4" x 8" x 36"	PR
8075	Edge-Glued Riser	3/4" x 8" x 48"	PR/RO/WO/HM
8075	Edge-Glued Riser	3/4" x 8" x 60"	WO



Primed GBR (Glue Block Ready) Risers

36" • 42" • 48" • 120" Lengths

Item #	Description	Dimensions
8110E	Primed GBR Pine Risers	3/4" x 8 1/2" x 36"
8110E	Primed GBR Pine Risers	3/4" x 8 1/2" x 42"
8110E	Primed GBR Pine Risers	3/4" x 8 1/2" x 48"
8110E	Primed GBR Pine Risers	3/4" x 8 1/2" x 120"




8110E GBR (Glue Block Ready) Primed Risers



Primed LVL Stringers • 16' • 18' • 20' Lengths • 9 1/4" & 11 1/4" widths

Item #	Description	Dimensions
8800X	Primed LVL Stringer	1 x 9 1/4" x 192" (16ft)
8800X	Primed LVL Stringer	1 x 9 1/4" x 216" (18ft)
8800X	Primed LVL Stringer	1 x 9 1/4" x 240" (20ft)
8800X	Primed LVL Stringer	1 x 11 1/4" x 216" (18ft)
8800X	Primed LVL Stringer	1 x 11 1/4" x 240" (20ft)



Accessories

Hand Rail Brackets • Medium & Heavy Duty




Bright Brass Brushed Nickel Matte Black Satin Black Oil Rubbed Copper 702-MD

Profile	Item #	Description	Color
601-HD	9100I-601	Heavy Duty Hand Rail Bracket	BB / BN / MB / SB / ORC
702-MD	9100I-702	Medium Duty Rail Bracket	BB / BN

Color Key
BB - Bright Brass
BN - Brushed Nickel
MB - Matte Black
SB - Satin Black
ORC - Oil Rubbed Copper

Rosettes



7317 • Round Rosette 7327 • Rectangle Rosette 7337 • Oval Rosette

Profile	Description	Size	Species
7317	Round Rosette	3/4" x 4 1/2" Round	PP/RO/WO/HM/MH
7327	Rectangular Rosette	3/4" x 4 5/16" x 6" Rectangle	PP/RO/WO/HM/MH
7337	Oval Rosette	3/4" x 5" x 5 1/2" Oval	PP/RO/WO/HM/MH

Species Key
PP - Poplar
RO - Red Oak
WO - White Oak
HM - Hard Maple
MH - Mahogany

Fillet (For Plowed Rails) • 1 1/4" • 1 1/2" • 1 3/4" widths

Profile	Size	Species
6051 Fillet Only	1 1/4" x 1/4" x 48"	PP/RO/WO/HM/MH
6052 Fillet Only	1 1/2" x 1/4" x 48"	PP/RO/WO/HM/MH
6007 Fillet Only	1 3/4" x 1/4" x 48"	PP/RO/WO/HM/MH

Species Key
PP - Poplar
RO - Red Oak
WO - White Oak
HM - Hard Maple
MH - Mahogany

6051 Fillet
1 1/4" x 1/4" x 48"


6052 Fillet
1 1/2" x 1/4" x 48"

6007 Fillet
1 3/4" x 1/4" x 48"


Accessories

Shoe Rails w/Fillet • 8' • 16' Lengths

Profile	Size	Species	Species Key
6045 Shoe w/FJ Fillet	3/4" x 2 1/4"	PP / RO / WO	PP - Poplar RO - Red Oak WO - White Oak
6006 Shoe w/6007 FJ Fillet	1" x 3 1/8"	PP / RO / WO	




Mouldings • Sold by the Linear Foot




Profile	Description	Box Newel Series	Size	Species
9600	6250 Cove	4075, 4077, 4095, 4098	3/4" x 5/8"	PR / RO / WO / HM
9602	5625 Neck	4090, 4091, 4093, 4094 4095, 4098, 4375	9/16" x 1 3/16"	PP / RO / WO / HM / MH
9601	7500 Cap/Base	4090, 4091, 4093, 4094 4095, 4098, 4375	3/4" x 1 7/16"	PP / RO / WO / MH
9603	1200 Clover	4095, 4098, 4375	3/4" x 4 1/2"	PP / RO / WO / HM / MH

Species Key
PR - Primed
PP - Poplar
RO - Red Oak
WO - White Oak
HM - Maple
MH - Mahogany

Spring Bolt™ • Rail Connection System



1. Assemble Rail to Rail pieces as shown at right, rotating springs together.
2. Handrails or fittings will tighten together. Apply a thin film of wood glue for a permanent bond.



Scan QR Code to see video demonstration of the Spring Bolt
<http://www.surewood-springbolts.mobi>

Item #	Description	Purpose	Size	Qty
9001206	Rail to Post Connectors	Connects rail to newel post	7/8"w x 4 1/2"	2 - Pack
9001207	Rail to Post End Connector Set	Connects balcony rail to connecting newel posts	7/8"w x 4 1/2"	1- LH/RH Set
9001240	Rail to Rail Connector	Connects rail to fittings, or to other rail sections	1/2"w x 4 1/2"	1 - each



Accessories



Item #	Description	Size	Species
9400K-RKT	Rail Bolt Kit	5/16" x 3 1/2"	RO
6501008	Rail Bolt Wrench	7/8" x 6"	
9400-300	3" Newel Attachment Kit	For 3" Newel Bases	PP / RO
9400-312	3 1/2" Newel Attachment Kit	For 3 1/2" Newel Bases	PP / RO
9400-500	5" Box Newel Attachment Kit	For 5" Newel Bases	PP / RO
9400K-NKT	SureTite Newel Bolt Attach Kit	1/2"Ø x 11"	
9400K-000	EZ Pin Baluster Pins	1/4"Ø x 3/4" Ø x 1 3/4"	RO
9400K-012	Oak Plug 1/2"	1/2" Diameter (4 pack)	RO
9400R-050	Oak Button Plug 1/2"	1/2" Diameter	RO
9400K-100	Oak Plug 1"	1" Diameter (4 pack)	RO
9400R-100	Oak Plug 1"	1" Diameter	RO
9100I-SAT	Satin Black Baluster Touch Up Pen	.3oz/15ML Felt Tipped Pen	
9400X-125	1 1/4" Primed Baluster Touch Up Pen	.3oz/15ML Felt Tipped Pen	
9400X-175	1 3/4" Primed Baluster Touch Up Pen	.3oz/15ML Felt Tipped Pen	

Metal Baluster Epoxy Kits

Epoxy, Nozzles & Dispenser Guns



Profile	Size
9700E	2-Part Epoxy Dual Cartridge
9701E	Dispenser Gun - Multi Use
9702E	Caulk Gun Adapter Kit (not Shown)
9703E	Mixing Nozzle



EVERMARK

Atlanta / Nationwide:
678.455.5188

Northeast US:
855.315.4070